







1. IT IS VITAL THAT THE CLOSING RESISTANCES SHOWN ON THE DRAWING AS 56R & 120R ARE CONNECTED AS INDICATED.
2. THE TWISTED PAIRS MUST NOT BE UNTWISTED TO SIMPLY INSERTION INTO TERMINALS. KEEP THEM TWISTED TOGETHER ALL THE WAY INTO THE TERMINALS





IN THIS CONFIGURATION SHOWN

PLEASE NOTE THE MAXIMUM DISTANCE BETWEEN XA/300 AND FURTHEST MONITOR CANNOT EXCEED (100M USING 4 PAIR CATS + 2 CORES @ 1.0MMSQ),


PLEASE NOTE THE MAXIMUM DISTANCE BETWEEN ENTRY PANEL AND XA/300 CANNOT EXCEED (800M USING 4 PAIR CATS + 1 CORE @ 1.0MMSQ)



ENSURE SW2 IS IN THE LOCAL POSITION




ENSURE SW2 IS IN THE LOCAL POSITION




JUMPER LINKS 0 & 4 MUST BE ON

NOTE: ONLY 2 RECEIVERS CAN RING AT FULL VOLUME



ENSURE SW2 IS IN THE LOCAL POSITION



JUMPER LINKS 3 & 5 MUST BE OFF

IMPORTANT INSTALLER NOTE.

ENSURE THAT SUITABLE VENTILATION IS PROVIDED IF THE XA/301 IS MOUNTED IN AN ENCLOSURE.

ENSURE THAT THE XA/301 IS ALWAYS MOUNTED CORRECTLY WITH THE TERMINALS ON THE BOTTOM EDGE AS PER THE MANUFACTURERS INSTRUCTIONS.

MOUNT THE XAV/300 TO THE RIGHT SIDE OF THE XA/301

BPT (UK) LTD. HERTS, ENGLAND	PREPARED FOR	DATE: 04/10/07	DRAWN:RC
	INSTALLER INFORMATION	REVISID:	
DRAWING TITLE:	1 X 1 BUTTON VIDEO ENTRY PANEL (DIST. 400M TO 800M) & 3 OPHERA MONITORS		DRAWING No: C-111P3C(B)